

学際科学実験センター利用業績一覧 (2004年 1 月－12月)

医学系研究科

脳科学専攻

脳細胞遺伝学

- (1) Manaka J, Kuraishi T, Shiratsuchi A, Nakai Y, Higashida H, Henson P, Nakanishi Y. Draper-mediated and phosphatidylserine-independent phagocytosis of apoptotic cells by *Drosophila* hemocytes/macrophages. *J Biol Chem.* 2004 Nov 12; 279(46): 48466-76.
- (2) Noda M, Higashida H, Aoki S, Wada K. Multiple signal transduction pathways mediated by 5-HT receptors. *Mol Neurobiol.* 2004 Feb; 29(1): 31-9.

脳情報分子学

- (3) Kato S, Nakagawa T, Ohkawa M, Muramoto K, Oyama O, Watanabe A, Nakashima H, Nemoto T, Sugitani K. A computer image processing system for quantification of zebrafish behavior. *J. Neurosci. Methods* 2004; 134(1): 1-7.
- (4) Matsukawa T, Sugitani K, Mawatari K, Koriyama Y, Liu ZW, Tanaka M, Kato S. Role of purpurin as retinol-binding protein in goldfish retina during the early stage of optic nerve regeneration: Its priming action on neurite outgrowth. *J. Neurosci.* 2004; 24(38): 8346-53.
- (5) Matsukawa T, Arai K, Koriyama Y, Liu ZW, Kato S. Axonal regeneration of fish optic nerve after injury. *Biol. Pharm. Bull.* 2004; 27(4): 445-51.

シナプス発達・機能学

- (6) Kitao, Y., Hashimoto, K., Matsuyama, T., Iso, H., Tamatani, T., Hori, O., Stern, D.M., Kano, M., Ozawa, K. and Ogawa, S. ORP150/HSP12A regulates Purkinje cell survival: A role for ER stress in cerebellar development. *J. Neurosci.* 2004; 24: 1486-96.
- (7) Miyazaki, T., Hashimoto, K., Shin, H-S., Kano, M. and Watanabe, M. P/Q-type Ca^{2+} channel $\alpha 1A$ regulates synaptic competition on developing cerebellar Purkinje cells. *J. Neurosci.* 2004; 24: 1734-43.
- (8) Fukudome, Y., Ohno-Shosaku, T., Matsui, M., Omori, Y., Fukaya, M., Tsubokawa, H., Taketo, M.M., Watanabe, M., Manabe, T. and Kano, M. Two distinct classes of muscarinic action on hippocampal inhibitory synapses: M2-mediated direct suppression and M1/M3-mediated indirect suppression through endocannabinoid signaling. *Eur. J. Neurosci.* 2004; 19: 2682-92.

- (9) Hartmann, J., Blum, R., Kovalchuk, Y., Adelsberger, H., Kuner, R., Durand, G.M., Miyata, M., Kano, M., Offermanns, S. and Konnerth, A. Distinct roles of $G\alpha_q$ and $G\alpha_{11}$ for Purkinje cell signaling and motor behavior. *J. Neurosci.* 2004; 24: 5119-30.
- (10) Sato, M., Tabata, T., Hashimoto, K., Nakamura, K., Nakao, K., Katsuki, M., Kitano, J., Moriyoshi, K., Kano, M. and Nakanishi, S. Altered agonist sensitivity and desensitization of neuronal mGluR1 responses in knock-in mice by a single amino acid substitution at the PKC phosphorylation site. *Eur. J. Neurosci.* 2004; 20: 947-55.
- (11) Tabata, T., Araishi, K., Hashimoto, K., Hashimotodani, Y., van der Putten, H., Bettler, B. and Kano, M. Ca^{2+} activity at GABAB receptors constitutively promotes metabotropic glutamate signaling in the absence of GABA. *Proc. Natl. Acad. Sci. USA.* 2004; 101: 16952-7.
- (12) Yamazaki, M., Ohno-Shosaku, T., Fukaya, M., Kano, M., Watanabe, M. and Sakimura, K. A novel action of stargazin as an enhancer of AMPA receptor activity. *Neurosci. Res.* 2004; 50: 369-74.
- (13) Fukaya, M., Araishi, K., Aiba, A., Kano, M. and Watanabe, M. Signaling complex formation of phospholipase $C\beta 4$ with mGluR1a and IP_3 receptor at the perisynapse and endoplasmic reticulum in the mouse brain. *Eur. J. Neurosci.* 2004; 20: 2929-44.
- (14) Kano, M., Ohno-Shosaku, T., Maejima, T., Yoshida, T. and Hashimoto, K. Retrograde modulation of synaptic transmission mediated by endogenous cannabinoids. *Curr. Neuropharmacol.* 2004; 2: 49-57.
- (15) Tabata, T. and Kano, M. Calcium-dependence of native metabotropic glutamate receptor signaling in central neurons. *Mol. Neurobiol.* 2004; 29: 261-70.
- (16) 橋本浩一, 狩野方伸: 発達期小脳における登上線維シナプスの機能分化. 実験医学 21 (増刊号/脳・神経研究2004. 御子柴克彦, 真鍋俊也, 三浦正幸/編), 羊土社, PP77-82, (2003).
- (17) 橋本浩一, 狩野方伸: 発達期小脳におけるシナプスの機能分化. 蛋白質 核酸 酵素49 No.3 (増刊号/神経回路の機能発現のメカニズム. 大森治紀, 渋谷克栄, 野田亮, 山森哲雄/編), 共立出版, PP384-390, (2004).
- (18) 少作隆子, 狩野方伸: マリファナ類似物質の逆行性伝達物質としての役割. *Molecular Medicine* 201: 1087-1094, (2004).

感覚運動病態学

- (19) Ren Q, Sato H, Muroso S, Furukawa M, Yoshizaki T. Epstein-Barr Virus (EBV) Latent Membrane Protein 1 Induces Interleukin-8 through the Nuclear Factor-kappaB Signaling Pathway in EBV-Infected Nasopharyngeal Carcinoma Cell Line. *Laryngoscope.* 2004 May; 114(5): 855-9.

脳機能制御学

- (20) Yamashima T, Tonchev AB, Vachkov IH, Popivanova BK, Seki T, Sawamoto K, Okano H. Vascular adventitia generates neuronal progenitors in the monkey hippocampus after ischemia. *Hippocampus*. 2004; 14(7): 861-75.
- (21) Takahashi N, Tonchev AB, Koike K, Murakami K, Yamada K, Yamashima T, Inoue M. Expression of estrogen receptor-beta in the postischemic monkey hippocampus. *Neurosci Lett*. 2004 Oct 7, 369(1): 9-13.
- (22) Yamashima T. Ca²⁺-dependent proteases in ischemic neuronal death: a conserved 'calpain-cathepsin cascade' from nematodes to primates. *Cell Calcium*. 2004 Sep-Oct 36(3-4): 285-93. Review.
- (23) Yamashima T, Lee JH, Tobias S, Kim CH, Chang JH, Kwon JT. Surgical procedure "Simplified Retrosigmoid Approach" for C-P angle lesions. *J Clin Neurosci*. 2004 Feb; 11(2): 168-71.

がん医科学専攻

がん遺伝子治療学

- (24) Nakamoto Y, Suda T, Momoi T, Kaneko S Different procarcinogenic potentials of lymphocyte subsets in a transgenic mouse model of chronic hepatitis B. *Cancer Research*. 2004; 64(9): 3326-33.
- (25) Kitamura K, Nakamoto Y, Kaneko S, Mukaida N. Pivotal roles of interleukin-6 in transmural inflammation in murine T cell transfer colitis. *J Leukocyte Biol*. 2004; 76(6): 1111-7.
- (26) Yamashita T, Honda M, Takatori H, Ryuhei Nishino R, Hoshino N, Kaneko S. Genome-wide transcriptome mapping analysis identifies organ-specific gene expression patterns along human chromosomes. *Genomics*. 2004; 84(5): 867-75.
- (27) Shimakami T, Hijikata M, Luo H, Ma YY, Kaneko S, Shimotohno K, Murakami S. Effect of interaction between Hepatitis C Virus NS5A and NS5B on Hepatitis C Virus RNA Replication with the Hepatitis C Virus Replicon. *J Virol*. 2004; 78(6): 2738-48.
- (28) Ma Y, Shimakami T, Luo H, Hayashi N, Murakami S. Mutational analysis of hepatitis C virus NS5B in the subgenomic replicon cell culture. *J Biol Chem*. 2004; 279(24): 25474-82.
- (29) Takamura T, Sakurai M, Ota T, Ando H, Honda M, Kaneko S. Genes for systemic vascular complications are differentially expressed in the livers of Type 2 diabetic patients. *Diabetologia*. 2004; 47(4): 638-47.

がん局所制御学

- (30) Sato, N., Ohta, T., Kitagawa, H., Kayahara, M., Ninomiya, I., Fushida, S., Fujimura, T., Nishimura, G., Shimizu, K., Miwa, K. *International Journal of Oncology* 2004. 03; 24(3): 679-85.

- (31) Ohta,T., Elnemr,A., Kitagawa,H., Kayahara,M., Takamura,H., Fujimura,T., Nishimura,G., Shimizu,K., Yi,S-Q., Miwa,K. *Oncology Reports* 2004. 10; 12(4): 749-54.
- (32) Amaya,K., Ohta,T., Kitagawa,H., Kayahara,M., Takamura,H., Fujimura,T., Nishimura,G., Shimizu,K., Miwa,K *Internatoinal Journal of Oncology* 2004. 10; 25(4): 849-56.
- (33) Nishijima, K., Miwa, K., Miyashita, T., Kinami, S., Ninomiya, I., Fushida,S., Fujimura, T., Hattori, T. *Annals of Surgery* 2004. 07; 240(1): 57-67.
- (34) Yoshizumi, T., Ohta, T., Ninomiya, I., Terada, I., Fushida, S., Fujimura, T., Nishimura, G., Shimizu,K., Yi, S., Miwa, K. *International Journal of Oncology* 2004. 09; 25(3): 631-9.
- (35) Ninomiya, I., Terada, I., Yoshizumi, T., Takino, T., Nagai, N., Mirita, A., Fushida, S., Nishimua, G., Fujimura, T., Ohta, T., Miwa, K. *Int. J. Cancer* 2004. 10; 112(1): 135-42.

集学的治療学

- (36) Mizokami, A., Koh, E., Fujita, H., Maeda, Y., Egawa, M., Koshida, K., Honma, S., Keller, E.T., and Namiki, M. The adrenal androgen androstenediol is present in prostate cancer tissue after androgen deprivation therapy and activates mutated androgen receptor. *Cancer Res.* 2004; 64: 765-71.

バイオトレーサー診療学

- (37) Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Hypoxia as a factor for Ga-67 accumulation in tumor cells. *Nucl Med Commun* 2004; 25(1): 49-53.
- (38) Kinuya S, Yokoyama K, Michigishi T, Tonami N. Optimization of radioimmunotherapy interactions with hyperthermia. *Int J Hyperthermia* 2004; 20(2): 190-200.
- (39) Kinuya S, Li X-F, Yokoyama K, Koshida K, Mori H, Shiba K, Watanabe N, Shuke N, Bai J, Michigishi T, Tonami N. Improved survival of mice bearing liver metastases of colon cancer cells treated with a combination of radioimmunotherapy and antiangiogenic therapy. *Eur J Nucl Med Mol Imaging* 2004; 31(7): 981-5.
- (40) Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Limitations of ^{99m}Tc-tetrofosmin in assessing reversal effects of verapamil on the function of multi-drug resistance associated protein 1. *Nucl Med Commun* 2004 Jun; 25(6): 585-9.
- (41) Taki J, Higuchi T, Kawashima A, Tait JF, Kinuya S, Muramori A, Matsunari I, Nakajima K, Tonami N, Strauss HW. Detection of cardiomyocyte death in a rat model of ischemia and reperfusion using ^{99m}Tc-labeled annexin V. *J Nucl Med.* 2004 Sep; 45(9): 1536-41.
- (42) Bai J, Yokoyama K, Kinuya S, Shiba K, Matsushita R, Nomura M, Michigishi T, Tonami N. In vitro detection of *mdr1* mRNA in murine leukemia cells with ¹¹¹In-labeled oligonucleotide. *Eur J Nucl Med Mol Imaging.* 2004 Nov; 31(11): 1523-9.

- (43) Washiyama K, Amano R, Sasaki J, Kinuya S, Tonami N, Shiokawa Y, Mitsugashira T. 227Th-EDTMP: a potential therapeutic agent for bone metastasis. Nucl Med Biol. 2004 Oct; 31(7): 901-8.
- (44) 絹谷清剛.放射性化合物内照射療法と血管新生阻害療法との同調効果による癌転移巣の制御. メディカルトレンド 2004 ; 19(7) : 44.
- (45) 滝 淳一, 樋口隆弘, 絹谷清剛, 村守 朗, 中嶋憲一, 利波紀久, 川島篤弘, 松成一朗. 虚血心筋におけるプログラム細胞死アポトーシスの画像化に関する核医学的研究. メディカルトレンド2004 ; 19(7) : 45.

再生分子医学

- (46) Nakayama, N., Han, C.Y., Cam, L, Lee, J.I., Pretorius, J., Fisher, S., Rosenfeld, R., Scully, S., Nishinakamura, R., Duryea, D., Van, G., Bolon, B., Yokota, T. and Zhang, K.: A novel chordin-like BMP inhibitor, CHL2, expressed preferentially in chondrocytes of developing cartilage and osteoarthritic joint cartilage. Development. 2004; 131: 229-40.
- (47) Hai, E., Ikura, Y., Naruko, T., Shirai, N., Yoshimi, N., Kayo, S., Sugama, Y., Fujino, H., Ohsawa, M., Tanzawa, K., Yokota, T. and Ueda, M.: Alterations of endothelin-converting enzyme expression in early and advanced stage of human coronary atherosclerosions. Int. J. Mol. Med. 2004; 13: 649-54.
- (48) Yoshida-Koide, U., Matsuda, T., Saikawa, K., Nakanuma, Y., Yokota, T., Asashima, M., and Koide, H.: Involvement of Ras in extraembryonic endoderm differentiation of embryonic stem cells. Biochem. Biophys. Res. Commun. 2004; 313: 475-81.
- (49) Shibata, S. and Lee, J.T.: Tsix trascription-versus RNA-based mechanisms in Xist repression and epigenetic choice.: Curr. Biol. 2004; 14: 1747-54.

細胞移植学

- (50) Takami A, Sugimori C, Feng X, Yachie A, Kondo Y, Nishimura R, Kuzushima K, Kotani T, Asakura H, Shiobara S, Nakao S. Expansion and activation of minor histocompatibility antigen HY-specific T cells associated with graft-versus-leukemia response. Bone Marrow Transplant. 2004 Oct; 34(8): 703-9.
- (51) Feng X, Chuhjo T, Sugimori C, Kotani T, Lu X, Takami A, Takamatsu H, Yamazaki H, Nakao S. Diazepam-binding inhibitor-related protein 1: a candidate autoantigen in acquired aplastic anemia patients harboring a minor population of paroxysmal nocturnal hemoglobinuria-type cells. Blood. 2004 Oct 15; 104(8): 2425-31.

循環医学専攻

血管分子生物学

- (52) Ohashi, S., Abe, H., Takahashi, T., Yamamoto, Y., Takeuchi, M., Arai, H., Nagata, K., Kita, T., Okamoto, H., Yamamoto, H., Doi, T. Advanced glycation end products increase collagen-specific chaperone protein in mouse diabetic nephropathy. *J. Biol. Chem.* 2004; 279(19): 19816-23.
- (53) Li, H., Yonekura, H., Kim, C-H., Sakurai, S., Yamamoto, Y., Takiya T., S., Futo, Watanabe, T., Yamamoto, H.: Possible participation of *p1Cln* in the regulation of angiogenesis through alternative splicing of VEGF receptor mRNAs. *Endothelium* 2004; 11 (5-6): 293-300.
- (54) Miura, J., Uchigata, Y., Yamamoto, Y., Takeuchi, M., Sakurai, S., Watanabe, T., Yonekura, H., Yamagishi, S., Makita, Z., Sato, A., Omori, Y., Yamamoto, H., Iwamoto, Y.: AGE down-regulation of monocyte RAGE expression and its association with diabetic complications in type 1 diabetes. *J. Diabetes Complications.* 2004; 18(1): 53-9.
- (55) Kaji, T., Sakurai, S., Yamamoto, C., Fujiwara, Y., Yamagishi, S., Yamamoto, H., Kinsella, M.G., Wight T.N.: Characterization of chondroitin/dermatan sulfate proteoglycans synthesized by bovine retinal pericytes in culture. *Biol. Pharm. Bull.* 2004; 27(11): 1763-8.
- (56) Yamamoto, Y., Yonekura, H., Sakurai, S., Tanaka, N., Li, H., Mynt K.M., Kim, C-H., Harashima, A., Osawa, M., Takeuchi, M., Watanabe, T., and Yamamoto, H.: Nurture vs. nature in diabetic vasculopathy: roles of advanced glycation endproducts and the receptor for them. *International Congress Series 1262 (Atherosclerosis XIII)*, Edited by Mutsuzawa Y., Kita T., Nagai, R., and Teramoto, T., Elsevier Science B.V., Amsterdam, The Netherlands, pp.164-167 (2004)
- (57) 山本 博：21世紀のアンチセンス学，*Antisense (アンチセンス DNA/RNA 研究会)* Vol.8 (No.1): 2-3 (2004)
- (58) 武内章彦，山本靖彦，櫻井 繁，渡辺琢夫，米倉秀人，山本 博：糖化蛋白による血管障害とその防止の分子機構，*血管 (日本心脈管作動物質学会)* Vol.27 (No.4): 125-130 (2004)
- (59) 山本 博：細小血管合併症の成因－序論，別冊・医学のあゆみ「糖尿病・代謝症候群」2004-2006，門脇 孝，小川佳宏，下村伊一郎編，医歯薬出版株式会社，pp.414-416 (2004)
- (60) 山本 博，二階堂 修：AGE 阻害薬，「糖尿病学の進歩2004」，日本糖尿病学会編，診断と治療社，pp.196-200 (2004)
- (61) 小川 智，山本 博：AGE (advanced glycation end products)，「循環器医が治療する糖尿病と大血管障害」，代田浩之，野出孝一編，(株)メジカルビュー社，pp.72-76 (2004)
- (62) 米倉秀人，渡辺琢夫，櫻井 繁，山本靖彦，山本 博：細小血管症の分子機構，「糖尿病-病態の分子生物学」，門脇 孝編，南山堂，pp.101-110 (2004)
- (63) 山本靖彦，櫻井 繁，渡辺琢夫，米倉秀人，山本 博：血管新生系制御，「老年医学 update 2004-05」，日本老年医学会雑誌編集委員会編，メジカルビュー社，pp.25-33 (2004)

血管分子生理学

- (64) K. Sakurai, L. Cominacini, U. Garbin, AF. Pasini, N. Sasaki, Y. Takuwa, T. Masaki and T. Sawamura. Induction of endothelin-1 production in endothelial cells via cooperative action between CD40 and lectin-like oxidized LDL receptor LOX-1. *J. Cardiovasc. Pharmacol.* 2004; 91(3): 182-186.
- (65) S. Usui, N. Sugimoto, N. Takuwa, S. Sakagami, S. Takata, S. Kaneko and Y. Takuwa. Blood lipid mediator sphingosine-1-phosphate potently stimulates platelet derived growth factor-A and -B chain expression through S1P1-Gi-Ras-MAPK-dependent induction of kruppel-like factor 5. *J. Biol. Chem.* 2004; 279: 12300-11.
- (66) Y. Takuwa. Rho-Rho kinase pathway. *Nippon Rinsho.* 2004; 62(1): 43-48.
- (67) M. Yamada, Y. Banno, Y. Takuwa, M. Koda, A. Hara and Y. Nozawa. Overexpression of phospholipase D prevents actinomycin D induced apoptosis through potentiation of phosphoinositide 3-kinase signaling pathways in Chinese hamster ovary cells. *Biochem. J.* 2004; 378: 649-56.
- (68) D. Shida, J. Kitayama, H. Yamaguchi, K. Hama, J. Aoki, H. Arai, H. Yamashita, K. Mori, A. Sako, T. Konishi, T. Watanabe, T. Sakai, R. Suzuki, H. Ohta, Y. Takuwa and H. Nagawa. Dual mode regulation of migration by lysophosphatidic acid in human gastric cancer cells. *Exp Cell Res.* 2004; 301(2): 168-78.
- (69) K. Sakurai, Y. Matsuo, T. Sudo, Y. Takuwa, S. Kimura, Y. Kasuya. Role of p38 mitogen-activated protein kinase in thrombus formation. *J Recept Signal Transduct Res.* 2004; 24(4): 283-96.

血管新生・結合組織代謝学

- (70) Yanaba K, Mukaida N, Matsushima K, Murphy PM, Takehara K, Sato S. Role of C-C chemokine receptors 1 and 5 and CCL3/macrophage inflammatory protein-1 α in the cutaneous Arthus reaction: possible attenuation of their inhibitory effects by compensatory chemokine production. *Eur J Immunol.* 2004 Dec; 34(12): 3553-61.
- (71) Yanaba K, Komura K, Horikawa M, Matsushita Y, Takehara K, Sato S. P-selectin glycoprotein ligand-1 is required for the development of cutaneous vasculitis induced by immune complex deposition. *J Leukoc Biol.* 2004 Aug; 76(2): 374-82.

血管分子遺伝学

- (72) Takeda Y. Vascular synthesis of aldosterone: role in hypertension. *Molec Cel Endocrinol* 2004; 217(1-2): 75-9.
- (73) Takeda Y. Pleiotropic actions of aldosterone and effects of eplerenone, a selective mineralocorticoid receptor antagonist. 2004; 27(11): 781-9.
- (74) Demura M, Takeda Y, Yoneda T, Oda N, Bando Y, Mabuchi H. Surgical stress-induced

transient nephrogenic diabetes insipidus (NDI) associated with decreased vasopressin receptor 2 (AVPR2) expression linked to nonsense-mediated mRNA decay and incomplete skewed X-inactivation in a female patient with a heterozygous AVPR2 mutation. Clin Endocrinol. 2004; 60(4): 773-5.

心肺病態制御学

- (75) Hiranuma C., Kawakami K., Oyama K., Ota N., Omura K. and Watanabe G.: Hypermethylation of the MYOD1 gene is a novel prognostic factor in the patient with colorectal cancer. Int. J. Mol. Med. 2004; 13: 413-7.
- (76) Oyama K., Kawakami K., Maeda K., Ishiguro K., and Watanabe G.: The Association Between Methylenetetrahydrofolate Reductase Polymorphism and Promoter Methylation in Proximal Colon Cancer. Anticancer Res. 2004; 24: 649-54.
- (77) Graziano F., Kawakami K., Watanabe G., Ruzzo A., Humar B., Santini D., Catalano V., Ficarelli R., Merriman T., Panunzi S., Testa E., Cascinu S., Bearzi I., Tonini G. and Magnani M.: Association of thymidylate synthase polymorphisms with gastric cancer susceptibility. Int. J. Cancer. 2004; 112: 1010-1014.

分子情報薬理学

- (78) Yamamoto S, Suzuki H, Ueda N, Takahashi Y and Yoshimoto T: Mammalian lipoxygenases, The Eicosanoids 2004; 53-59.
- (79) Higuchi Y and Yoshimoto T: Promoting effect of polyunsaturated fatty acids on chromosomal giant DNA fragmentation associated with cell death induced by glutathione depletion. Free Radic Res. 2004; 38: 649-658.
- (80) Higuchi Y: (Review article) Glutathione depletion-induced chromosomal DNA fragmentation associated with apoptosis and necrosis. J. Cell Mol Med. 2004; 8: 455-464.

生体防御応答学

- (81) Shiratsuchi A, Watanabe I, Takeuchi O, Akira S, Nakanishi Y. Inhibitory effect of Toll-like receptor 4 on fusion between phagosomes and endosomes/lysosomes in macrophages. J. Immunol. 2004 Jan; 172: 2039-47.
- (82) Nakagawa A, Nagaosa K, Hirose T, Tsuda K, Hasegawa K, Shiratsuchi A, Nakanishi Y. Expression and function of class B scavenger receptor type I on both apical and basolateral sides of the plasma membrane of polarized testicular Sertoli cells of the rat. Dev. Growth Differ. 2004 Jun; 46: 283-98.
- (83) Nakamoto T, Shiratsuchi A, Oda H, Matsumura T, Ichikawa M, Saito T, Seo S, Maki K, Asai T, Suzuki T, Yamagata T, Aizawa S, Noda M, Nakanishi Y, Hirai H. Impairment of spermatogenesis and male fertility in CIZ/Nmp4-disrupted mice. Genes Cells. 2004 Jun; 9:

575-89.

- (84) Watanabe Y, Shiratsuchi A, Shimizu K, Takizawa T, Nakanishi Y. Stimulation of phagocytosis of influenza virus-infected cells through surface desialylation of macrophages by viral neuraminidase. *Microbiol. Immunol.* 2004 Nov; 48: 875-81.

医学部保健学科

看護学専攻

母性・小児看護学

- (1) T sasagawa, Human papillomavirus infection and cervical cancer. *Biomedical Review* 2003 14: 75-93.
- (2) 笹川寿之, 安田英代, 宮澤貴磨呂, 石古博昭, 保科真二 性風俗従事者の咽頭ヒトパピローマウイルス感染 日本性感染症学会誌 2004, 15: 154-160.
- (3) Azar K Khadijeh, Tani M, Yasuda H, Sakai A, Inoue M, Sasagawa T. Increased secretion patterns of interleukin-10 and tumor necrosis factor-alpha in cervical squamous intraepithelial lesions. *Human Pathol* 2004 Nov. 35(11): 1376-84.

放射線技術科学専攻

医用放射線科学

- (4) Tarohda T, Yamamoto M, Amano R. Regional distribution of manganese, iron, copper, and zinc in the rat brain during development. *Anal Bioanal Chem.* 2004 380(2): 240-6.
- (5) Washiyama K, Amano R, Sasaki J, Kinuya S, Tonami N, Shiokawa Y, Mitsugashira T. ²²⁷Th-EDTMP: A potential therapeutic agent for bone metastasis. *Nucl Med Biol.* 2004 31 (7): 901-8.
- (6) Ono M, Amano R, Enomoto S. Multitracer screening: Search for element delivered directly to brain via nostrils -mouse experiments-. *Proceedings of the Fifth Workshop on Environmental Radioactivity.* 2004. 291-7.
- (7) 金山洋介, 天野良平, 榎本秀一, 川井恵一, 入江俊章, 利波紀久: ²⁰¹Tl 嗅覚イオン輸送の研究—マウス・ラットにおける研究—. *核医学* 2004 41(3): S228.
- (8) 吉本光喜, 川井恵一, 鷺山幸信, 絹谷清剛, 横山邦彦, 西井龍一, 天野良平: 腫瘍血管新生イメージング薬剤としての¹²⁵I-VEGFの評価:¹²⁵I-VEGF₁₂₁と¹²⁵I-VEGF₁₆₅の比較. *核医学* 2004 41(3): S195.
- (9) 鷺山幸信, 吉本光喜, 川井恵一, 天野良平, 絹谷清剛, 利波紀久: ²²⁷Th-EDTMPの転移性骨腫瘍に対する治療効果の検討. *核医学* 2004 41(3): S179.
- (10) 鷺山幸信, 佐々木潤, 小川大介, 天野良平, 三頭聡明: マウス体内での Ra 同位体 (Ra-224, Ra-223) とその娘核種の生体内分布. *J Nucl RadiochemSci.* 2004 5(suppl.): 94.
- (11) 金山洋介, 蛭沼利江子, 羽場宏光, 榎本秀一, 天野良平: アルカリ金属イオンは鼻腔か

ら脳実質に直接移行するか(2) —Na⁺, K⁺の挙動について—. J Nucl RadiochemSci. 2004 5 (suppl.): 81.

検査技術科学専攻

生体情報学

- (12) Imai AM, Oda Y, Oda M, Nakanishi I, Kawahara E. Overexpression of E2F1 associated with LOH at RB locus and hyperphosphorylation of RB in non-small cell lung carcinoma. J Cancer Res Clin Oncol. 2004 March; 130(6): 320-6.

医療基礎学講座

- (13) Hashikawa N, Sakurai H. Phosphorylation of the yeast heat shock transcription factor is implicated in gene-specific activation dependent on the architecture of the heat shock element. Mol Cell Biol. 2004 May; 24(9): 3648-59.

自然科学研究科（理学部）

物理学科

量子物性

- (1) Fujishita H, Ishikawa Y, Ogawaguchi A, Kato K, Nishibori E, Takata M, Sakata M. Temperature Dependence of Structures and Order Parameters in Antiferroelectric PbHfO₃. Ferroelectrics 2004; 301: 139-43.

化学科

放射化学

- (2) Toyoshima A, Haba H, Tsukada K, Asai M, Akiyama K, Nishinaka I, Nagame Y, Saika D, Matsuo K, Sato W, Shinohara A, Ishizu H, Ito M, Saito J, Goto S, Kudo H, Kikunaga H, Kinoshita N, Kato C, Yokoyama A, Sueki K Elution Curve of Rutherfordium (Rf) in Anion-Exchange Chromatography with Hydrofluoric Acid Solution, J. Nucl. Radiochem. Sci. 2004; 5(2): 45-8.
- (3) Ohkubo Y, Murakami Y, Saito T, Yokoyama A, Kawase Y. Perturbed-Angular-Correlation Studies on ¹¹¹Cd and ¹¹⁷In in Pyrochlore Cd₂Nb₂O₇, Material Trans. 2004; 45(7): 1998-2002.
- (4) Haba H, Tsukada K, Asai M, Toyoshima A, Akiyama K, Nishinaka I, Hirata M, Yaita T, Ichikawa S, Nagame Y, Yasuda K, Miyamoto Y, Kaneko T, Goto S, Ono S, Hirai T, Kudo H, Shigekawa M, Shinohara A, Oura Y, Nakahara H, Sueki K, Kikunaga H, Kinoshita N, Tsuruga N, Yokoyama A, Sakama M, Enomoto S, Schadel M, Bruchle W, Kratz J V. Fluoride Complexation of Element 104, Rutherfordium, J. Am. Chem. Soc. 2004; 126(16): 5219-24.

生物学科

発生生物学

- (5) Koyama T, Obara Y, Iwami M, Sakurai S. Commencement of pupal commitment in late penultimate instar and its hormonal control in wing imaginal discs of the silkworm, *Bombyx mori*. *J Insect Physiol.* 2004 Feb-Mar; 50(2-3): 123-33.
- (6) Koyama T, Iwami M, Sakurai S. Ecdysteroid control of cell cycle and cellular commitment in insect wing imaginal discs. *Mol Cell Endocrinol.* 2004 Jan 15; 213(2): 155-66.
- (7) Elmogy M, Iwami M, Sakurai S. Presence of membrane ecdysone receptor in the anterior silk gland of the silkworm *Bombyx mori*. *Eur J Biochem.* 2004 Aug; 271(15): 3171-9.
- (8) Takaki K, Sakurai S. Regulation of prothoracic gland ecdysteroidogenic activity leading to pupal metamorphosis. *Insect Biochem Mol Biol.* 2003 Dec; 33(12): 1189-99.

生命機構

- (9) Kobayashi T. and Endoh H. Unusual distribution of mitochondrial large subunit rRNA in the cytosol during conjugation in *Tetrahymena thermophila*. *Genes Genet. Syst.* 2004; 79: 255-62.
- (10) Kimura, N., K. Mikami and Endoh H. Delayed degradation of parental macronuclear DNA in programmed nuclear death of *Paramecium caudatum*. *Genesis* 2004; 40: 15-21.
- (11) Mukai, A. and Endoh H.. Presence of a bacterial-like citrate synthase gene in *Tetrahymena thermophila*: Recent lateral gene transfers (LGT) or multiple gene losses subsequent to a single ancient LGT? *J. Mol. Evol.* 2004; 58: 540-9.
- (12) Noto, T. and Endoh H. A "chimera" theory on the origin of dicyemid mesozoans: evolution driven by frequent lateral gene transfer from host to parasite. *BioSystems* 2004; 73: 73-83.
- (13) 能登朋子, 遠藤 浩 (2004). 宿主からの継続的な遺伝子転移 (LGT) は寄生生物の進化を駆動しうるか? : 中性動物ニハイチュウ＝キメラ説の提唱. *原生動物学雑誌* 37 : 75-76.

生体分子生理学

- (14) Horikoshi M, Yura T, Tsuchimoto S, Fukumori Y, Kanemori M. Conserved region 2.1 of *Escherichia coli* heat shock transcription factor σ^{32} is required for modulating both metabolic stability and transcriptional activity. *J. Bacteriol.* 2004; 186(22): 7474-80.

植物自然史

- (15) Nishiyama T, Wolf PG, Kugita M, Sinclair RB, Sugita M, Sugiura C, Wakasugi T, Yamada K, Yoshinaga K, Yamaguchi K, Ueda K, and Hasebe M. Chloroplast Phylogeny Indicates that Bryophytes are Monophyletic. *Mol. Biol. Evol.* 2004; 21: 1813-9.

地球学科

岩石学・火山学

- (16) Ishiwatari A, Sokolov S D, Vysotskiy S V. Petrological diversity and origin of ophiolites in Japan and Far East Russia with emphasis on depleted harzburgite. In: Dilek Y, Robinson P T (eds) "Ophiolites in Earth History", Geological Society of London Special Publication. 218: 597-617. (2003)
- (17) Ichiyama Y, Ishiwatari, A. Petrochemical evidence for off-ridge magmatism in a backarc setting from the Yakuno ophiolite, Japan. *The Island Arc*. 2004; 13(1): 157-77.
- (18) Ishiwatari A, Ichiyama Y. Alaskan-type plutons and ultramafic lavas in Far East Russia, Northeast China and Japan. *International Geology Review*. 2004; 46: 316-31.
- (19) Yoshida D, Hirajima T, Ishiwatari A. Pressure-Temperature Path Recorded in the Yangkou Garnet Peridotite, in Su-Lu Ultrahigh-pressure Metamorphic Belt, Eastern China. *Journal of Petrology*. 2004; 45: 1125-45.
- (20) 星 博幸・石渡 明：石川県，戸室火山溶岩ドームの岩石磁気と古地磁気. *地質学雑誌* 110 : 536-544. (2004)
- (21) Ichiyama Y, Ishiwatari A. HFSE-rich picritic rocks from the Mino accretionary complex, southwestern Japan. *Contributions to Mineralogy and Petrology* (in press).
- (22) Tazaki K, Wakimoto R, Minami Y, Yamamoto M, Miyata K, Sato K, Saji I, Chaerun SK, Zhou G, Morishita T, Asada R, Segawa H, Imanishi H, Kato R, Otani Y and Watanabe T. Transport of carbon-bearing dusts from Iraq to Japan during Iraq's War. *Atmospheric Environment*, 2004; 38; 2091-109.
- (23) 野口 聡，森下知晃，寅丸敦志 EPMA を用いたガラスの微少領域分析時の Na 損失に対する補正について. *岩石鉱物科学* 33 : 85-95 (2004).
- (24) Morishita T, Maeda J, Miyashita S, Matsumoto T and Dick, H.J.B. (2004) Magmatic Srilankite from gabbroic vein cutting abyssal peridotite: an unusual product of peridotite-melt interactions beneath slow-spreading ridges. *American Mineralogist* 2004; 89: 759-66.
- (25) Morishita T, Arai S and Green DH Possible non-melted remnants of subducted lithosphere: experimental and geochemical evidence from corundum-bearing mafic rocks in the Horoman Peridotite Complex, Japan. *Journal of Petrology* 2004; 45: 235-52.

環境地質学

- (26) 田崎和江 (2004) 迅速・簡便な染色方法に用いた湖底土の特徴. *粘土科学*, 44(2), 68-80.
- (27) Tazaki, K., Ishiguro, T. and Saji, I. (2004) Bioaccumulation of uranium by lower plants on the weathered granite and microorganisms in the soils. *Mineralogy and Geochemistry: Resources, Environment and Life* (Eds.) Li, S., Shen, J., and Xu, H., Geological Publishing House, ISBN7-116-04183-4, 37-58.

- (28) Tazaki, K., Morikawa, T., Chaerun, S.K., Belkova, N., Okuno, M., Asada, R. and Osamu, N. Microbial controls on As-mineralogy in pH 7~8 natural solutions. *Laguna*. 2004; 11, 1-15.
- (29) Chaerun, S.K., Tazaki, K., Asada, R. and Kogure, K. Interaction between clay minerals and hydrocarbon-utilizing indigenous microorganisms in high concentration of heavy oil: Implications for bioremediation. *Clay Minerals*, 2004; 40(1), 105-14.
- (30) 田崎和江・山内順公・犬飼将成・中山和正・犬塚俊裕・森井一誠・片桐有由未・糸野妙子 (2004) 森林樹木と土壌間における雨水の挙動；一現地測定と浸出・透過実験一. 地球科学, 58, 389-405.
- (31) Chaerun, S.K., Tazaki, K., Asada, R. and Kogure, K. Alkane-degrading bacteria and heavy metals from the *Nakhodka* oil spill polluted seashores in the Sea of Japan after five years of bioremediation. *The Science Reports of Kanazawa University*, 2004; 49(1,2), 25-46.
- (32) Tazaki, K., and Watanabe, H. Biomineralization of radioactive sulfide minerals in strong acidic Tamagawa Hot Springs. *The Science Reports of Kanazawa University*. 2004; 49(1,2), 1-24.
- (33) 栗原孝行・田崎和江・村山次哉・盛口敬一・芹川富美雄・竹原照明・村野秀和・村井忍・平井圭一 (2004) エネルギーフィルター透過電顕の医学生物学への応用. 医学生物学技術誌 18(1), 1-4.
- (34) Belkova, N.L. and Tazaki, K. Fossilization of bacteria in the Kotelnikovsky Hot Springs located on the northwest coast of Lake Baikal, Russia. *Journal of Fossil Research*. 2004; 37(1), 8-17.
- (35) Chaerun, S.K., Tazaki, K., Asada, R. and Kogure, K. Bioremediation of coastal areas 5 years after the *Nakhodka* oil spill in the Sea of Japan: isolation and characterization of hydrocarbon-degrading bacteria. *Environment International*. 2004; 30(7) 911-22.
- (36) Belkova, N., Zakharova, J., Tazaki, K., Okrugin, V. and Parfenova, V. Fe-Si biominerals in the Vilyuchinskies Hot Springs, Kamchatka Peninsula, Russia. *International Microbiology*. 2004; 7, 193-8.
- (37) 田崎和江・金沢大学理学部地球学科田崎ゼミ生調査団 (2004) 2004年7月17-18日に行われた黒部川流域, 出し平ダムと宇奈月ダムの連携排砂時の黒色濁水. 地球科学, 58(6), 357-359.
- (38) 脇元理恵・田崎和江・縄谷奈緒子・池田頼正・今井茂雄・佐藤一博・奥野正幸 (2004) 奄美大島紬を染める泥の特性. 地球科学, 58(4), 199-214.
- (39) 佐藤一博・田崎和江 (2004) 中性 pH に生息する *Leptothrix ochracea* の鉄濃集作用. 環境技術研究会誌 33(6), 467-475.
- (40) 田崎和江・盛一慎吾 (2004) 鉄・マンガン酸化バクテリアによる鉄・マンガン集積構造のメカニズム. 環境技術研究会誌 33(4), 284-291.
- (41) Chaerun, S.K. and Tazaki, K. Effect of kaolinite on microbial growth in high concentration of heavy oil. *Clay Science*, 2003; 12, 187-96.

- (42) Saji, I., Nishikawa, O., Belkova, N., Okrugin, V. and Tazaki, K. Chemical and microbiological investigations of hot spring deposits found at the hydrothermal systems of Kamtchatka Peninsula, Russia. *The Science Reports of Kanazawa University*. 2004; 48, 73-106.
- (43) Tazaki, K., Miyata, K., Tazaka, T., Chiba, M., Wakimoto, R., Saji, I. and Sato, K. (2004) Finding abnormal events during the Iraq War monitored at Japan 8000 km away from Iraq. *The Science Reports of Kanazawa University*. 2004; 48, 107-33.

自然科学研究科（薬学部）

健康薬学講座

生化学

- (1) Yoshimura, S., Yamamoto, A., Misumi, Y., Sohda, M., Barr, F.A., Fujii, G., Shakoori, A., Ohno, H., Mihara, K., and Nakamura, N.J. *Biochem.* 2004; 135, 201-16.

遺伝情報制御学

- (2) Uchida S, Ohtsubo M, Shimura M, Hirata M, Nakagama H, Matsunaga T, Yoshida M, Ishizaka Y, Yamashita, K. Nuclear export signal in CDC25B. *Biochem. Biophys. Res. Commun.* 2004; 316, 226-32.
- (3) Lan L, Rabeya RM, Hayashi T, Nakajima S, Kanno S, Takao M, Matsunaga T, Yoshino M, Ichikawa M, te Riele H, Tsuchiya S, Tanaka K, Yasui A. Functional and physical interactions between ERCC1 and MSH2 for resistance to cis-platinum in mammalian cells. *DNA Repair*; 2004; 3: 135-43.
- (4) Uchida S, Ohtsubo M, Shimura M, Hirata M, Nakagama H, Matsunaga T, Yoshida M, Ishizaka Y, Yamashita K. Nuclear export signal in CDC25B. *Biochem. Biophys. Res. Commun.* 2004; 316: 226-32.
- (5) Shiomi N, Kito S, Oyama M, Matsunaga T, Harada YN, Ikawa M, Okabe M, Shiomi, T. Identification of the XPG region that causes the onset of Cockayne syndrome by using Xpg mutant mice generated by the cDNA-mediated knock-in method. *Mol. Cell. Biol.*, 2004; 24: 3712-9.
- (6) Uchida S, Kuma A, Ohtsubo M, Shimura M, Hirata M, Nakagama H, Matsunaga T, Ishizaka Y, Yamashita K. Binding of 14-3-3 β but not 14-3-3 σ controls the cytoplasmic localization of CDC25B: binding site preferences of 14-3-3 subtypes and the subcellular localization of CDC25B. *J. Cell Sci.* 2004; 117: 3011-20.
- (7) Oyama M, Wakasugi M, Hama T, Hashidume H, Iwakami Y Imai R, Hoshino S, Morioka H, Ishigaki Y, Nikaido O, Matsunaga, T. Human NTH1 physically interacts with p53 and proliferating cell nuclear antigen. *Biochem. Biophys. Res. Commun.* 2004; 321: 183-91.
- (8) Tsukamoto S, Yamashita K, Tane K, Kizu R, Ohta T, Matsunaga S, Fusetani N, Kawahara

H, Yokosawa H, Girolline an antitumor compound isolated from a sponge, induces G2/M cell cycle arrest and accumulation of polyubiquitinated p53. *Biol. Pharm. Bill.* 2004; 27: 699-701.

臨床分析科学

- (9) Higashi T, Sakajiri K, Shimada K. Analysis of C-3 epimerization in (24R)-24, 25-dihydroxyvitamin D₃ catalyzed by hydroxysteroid dehydrogenase. *J. Pharm. Biomed. Anal.* 2004; 36(3): 429-36.

創薬科学講座

精密分子構築学

- (10) Mukai C, Ohta M, Yamashita H, Kitagaki S. Base-catalyzed endo-mode cyclization of allenes: easy preparation of five- to nine-membered oxacycles. *J. Org. Chem.* 2004; 69(20): 6867-73.
- (11) Mukai C, Inagaki F, Yoshida T, Kitagaki S. Rh(I)-catalyzed ring-closing reaction of allenynes: selective construction of cycloheptene, bicyclo [5.3.0] decadienone, and bicyclo [5.2.0] nonene frameworks. *Tetrahedron Lett.* 2004; 45(21): 4117-21.
- (12) Mukai C, Kobayashi M, Kubota S, Takahashi Y, Kitagaki S. Construction of azacycles based on endo-mode cyclization of allenes. *J. Org. Chem.* 2004; 69(6): 2128-36.
- (13) Mukai C, Kozaka T, Suzuki Y, Kim I.J. New entry to the Pauson-Khand reaction: trimethylgermyl group at the triple bond terminus as a latent functional group. *Tetrahedron.* 2004; 60(11): 2497-507.
- (14) Nomura I, Mukai C. Studies on the total synthesis of streptazolin and its related natural products: first total synthesis of (\pm)-8 α -hydroxystreptazolone. *J. Org. Chem.* 2004; 69(6): 1803-12.

機能性分子設計学

- (15) Tamura O, Iyama N, Ishibashi H. Syntheses of (\pm)-funebrine and (\pm)-funebral, using sequential transesterification and intramolecular cycloaddition of a chiral nitron. *J. Org. Chem.* 2004; 69: 1475-80.
- (15) Yamamoto S, Sugimoto H, Tamura O, Mori T, Matsuo N, Ishibashi H. Synthesis of 3,3,3-trifluoroprop-1-enyl compounds from some enolizable aldehydes. *Tetrahedron.* 2004; 60: 8919-27.
- (16) Tamura O, Ayano Kano A, Yamashita M, Ishibashi H. Synthesis of (3'R, 5'S)-3'-hydroxycotinine using 1,3-dipolar cycloaddition of a nitron. *Tetrahedron.* 2004; 60: 9997-10003.
- (17) 石橋弘行, 田村 修: ラジカル環化反応の位置化学の制御と生理活性化合物合成への応用, 有機化学, 62, 324-334 (2004).

薬化学

- (18) Hayashi, T., Nakai, Y., Yamada, F., Somei, M., A Novel Preparation of 3-Hydroxy-3*H*-indole-3-ethanamines and -3*H*-Indole-3-acetamides Having Either a 4-Morpholinyl or 1-Pyrrolidinyl Group at the 2-Position, *Heterocycles*. 2004; 62: 437-444.
- (19) Yamada, K., Tomioka, S., Tanizawa, N., Somei, M., Novel Syntheses of 1-Hydroxy-6-, -5-Nitroindole-3- carbaldehyde, and Their Derivatives as Daikon-Phytoalexin Analogs, *Heterocycles*. 2004; 63(7): 1601-11.
- (20) Somei, M., Yamada, F., Suzuki, Y., Ohmoto, S., Hayashi, H., Short Step Synthesis of an Antibiotic, 6-Cyano-5-methoxy-12-methylindolo [2,3-*a*] carbazole, *Heterocycles*. 2004; 64(1): 483-90.
- (21) Somei, M., Yamada, F., *Natural Products Reports*. 2004; 21(2): 278-311.

医療薬学講座

病院薬学

- (22) Nakajima A, Yamada K, Nagai T, Uchiyama T, Miyamoto Y, Mamiya T, He J, Nitta A, Mizuno M, Tran MH, Seto A, Yoshimura M, Kitaichi K, Hasegawa T, Saito K, Yamada Y, Seishima M, Sekikawa K, Kim HC, Nabeshima T. Role of tumor necrosis factor- α in methamphetamine-induced drug dependence and neurotoxicity. *J Neurosci*. 2004 Mar 3; 24(9): 2212-25.
- (23) Miyamoto Y, Yamada K, Nagai T, Mori H, Mishina M, Furukawa H, Noda Y, Nabeshima T. Behavioural adaptations to addictive drugs in mice lacking the NMDA receptor ϵ 1 subunit. *Eur J Neurosci*. 2004 Jan; 19(1): 151-8.
- (24) Nagai T, Yamada K, Yoshimura M, Ishikawa K, Miyamoto Y, Hashimoto K, Noda Y, Nitta A, Nabeshima T. The tissue plasminogen activator-plasmin system participates in the rewarding effect of morphine by regulating dopamine release. *Proc Natl Acad Sci USA*. 2004 Mar 9; 101(10): 3650-5.
- (25) Urani A, Romieu P, Roman FJ, Yamada K, Noda Y, Kamei H, Manh Tran H, Nagai T, Nabeshima T, Maurice T. Enhanced antidepressant efficacy of sigma1 receptor agonists in rats after chronic intracerebroventricular infusion of β -amyloid-(1-40) protein. *Eur J Pharmacol*. 2004 Feb 20; 486(2): 151-61.
- (26) Mizoguchi H, Yamada K, Mizuno M, Mizuno T, Nitta A, Noda Y, Nabeshima T. Regulations of methamphetamine reward by extracellular signal-regulated kinase 1/2/ets-like gene-1 signaling pathway via the activation of dopamine receptors. *Mol Pharmacol*. 2004; 65(5): 1293-301.
- (27) Koike K, Ohno S, Takahashi N, Suzuki N, Nozaki N, Murakami K, Sugiura K, Yamada K, Inoue M. Efficacy of the herbal medicine Unkei-to as an adjunctive treatment to hormone replacement therapy for postmenopausal women with depressive symptoms. *Clin Neuro-*

pharmacol. 2004 Jul-Aug; 27(4): 157-62.

- (28) Nakajima A, Yamada K, He J, Zeng N, Nitta A, Nabeshima T. Anatomical substrates for the discriminative stimulus effects of methamphetamine in rats. *J Neurochem.* 2004 Oct; 91(2): 308-17.
- (29) Takahashi N, Tonchev AB, Koike K, Murakami K, Yamada K, Yamashima T, Inoue M. Expression of estrogen receptor- β in the postischemic monkey hippocampus. *Neurosci Lett.* 2004 Oct 7; 369(1): 9-13.
- (30) Zeng N, Nakajima A, He J, Nitta A, Yamada K, Nabeshima T. Fos expression associated with the discriminative stimulus effects of methamphetamine in rats. *Ann N Y Acad Sci.* 2004 Oct; 1025: 236-41
- (31) Yan Y, Mizuno T, Nitta A, Yamada K, Nabeshima T. Nefiracetam attenuates methamphetamine-induced discriminative stimulus effects in rats. *Ann N Y Acad Sci.* 2004 Oct; 1025: 274-8.
- (32) Jhoo JH, Kim HC, Nabeshima T, Yamada K, Shin EJ, Jhoo WK, Kim W, Kang KS, Jo SA, Woo JI. β -amyloid (1-42)-induced learning and memory deficits in mice: involvement of oxidative burdens in the hippocampus and cerebral cortex. *Behav Brain Res.* 2004 Dec 6; 155(2): 185-96.
- (33) Hefco V, Yamada K, Hefco A, Hritcu L, Tiron A, Nabeshima T. The interaction between the cholinergic and dopaminergic system in learning and memory process in rats. *Rom. J Physiol.* 2004; 41(1-2): 21-30.
- (34) Yamada K, Nabeshima T. Interaction of BDNF/TrkB signaling with NMDA receptor in learning and memory. *Drug News Perspect.* 2004; 17(7): 435-8.
- (35) Yamada K, Nabeshima T. Pro- and anti-addictive neurotrophic factors and cytokines in psychostimulant addiction: mini review. *Ann N Y Acad Sci.* 2004 Oct; 1025: 198-204.
- (36) Nabeshima T, Tran MH, Kim HC, Yamada K. Oxidative stress mechanism of amyloid β -peptide-induced impairment of neurotransmission and memory. *Method Find Exp Clin Pharmacol.* 2004; 26: 1-3.

創剤科学

- (37) Q. Li, Y. Kato, H. Muraoka, I. Tamai and A. Tsuji. Transporter-mediated renal handling of nafamostat mesilate, *J. Pharm. Sci.* 2004; 93(2), 262-72.
- (38) A. Inano, Y. Sai, Y. kato, I. Tamai, M. Ishiguro and A. Tsuji. Functional regions of organic cation carnitine transporter OCTN2 (SLA22A5): roles in carnitine recognition, *Drug Metabol. Pharmacokin.* 2004; 19(3), 180-9.
- (39) Nishimura, Y. Kato, T. Ogihara, A. Tsuji, Characterization of renal excretion mechanism for a novel diuretic, M17055, in rats, *J. Pharm. Sci.* 2004; 93(10), 2558-66.
- (40) Y. Kawasaki, Y. Kato, Y. Sai, A. Tsuji, Functional characterization of human organic

cation transporter OCTN1 single nucleotide polymorphisms in the Japanese population, *J. Pharm. Sci.* 2004; 93(10), 2558-66.

- (41) Y. Kato, K. Yoshida, C. Watanabe, Y. Sai, A. Tsuji, Screening of the interaction between xenobiotic transporters and PDZ proteins. *Pharm. Res.* 2004; 21(10), 1886-94.
- (42) Y. Kato, Y. Sai, K. Yoshida, C. Watanabe, T., Hirata, A. Tsuji, PDZK1 directly regulates the function of organic cation/carnitine transporter OCTN2. *Mol. Pharmacol.* Epub 2004 Nov2.

薬物代謝化学

- (43) Tsuchiya Y, Nakajima M, Kyo S, Kanaya T, Inoue M, Yokoi T. Human CYP1B1 is regulated by estradiol via estrogen receptor. *Cancer Res.* 2004 May 1; 64(9): 3119-25.
- (44) Takemoto K, Nakajima M, Fujiki Y, Katoh M, Gonzalez FJ, Yokoi T. Role of the aryl hydrocarbon receptor and Cyp1b1 in the antiestrogenic activity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Arch Toxicol.* 2004 Jun; 78(6): 309-15.
- (45) 土屋佑樹, 中島美紀, 横井 毅: ヒト CYP1B1の転写調節機構: 発癌とエストロゲンのホメオスタシス. *生化学* 76(12): 1565-1568 (2004).

自然科学研究科 (工学部)

物質工学専攻

環境・分析化学

- (1) Hasegawa H, Maki T, Asano K, Ueda K, Ueda K, Detection of Iron(III)-Binding Ligands Originating from Marine Phytoplankton Using Cathodic Stripping Voltammetry, *Anal. Sci.* 2004; 20, 89-93.
- (2) Maki T, Hasegawa H, Watarai H, Ueda K, Classification for Dimethylarsenate-decomposing Bacteria Using a Restrict Fragment Length Polymorphism Analysis of 16S rRNA Genes, *Anal. Sci.* 2004; 20, 61-68.
- (3) 奥村真子, 長谷川 浩, 牧 輝弥, 上田一正, キレート配位子存在下の植物プランクトン培養液中における鉄のサイズ分画, *分析化学*, 53, 1215-1221 (2004)

教育学部

技術教育

機械

- (1) 佐々木敏彦, 他2名, マイクロメカニックスによるパラメータ $\angle \varepsilon P$ を用いた $(\alpha + \gamma)$ 二相ステンレス鋼のX線フラクトグラフィ, *材料*, vol.53, No.2, pp.157-162, (2004)
- (2) T. Sasaki, et al, Stress Measurement of Rolled Steels Using Pulsed Spallation Neutron

Diffraction, Proceedings of The Fourteenth (2004) International Offshore and Polar Engineering Conference, pp.198-203, Toulon, France, May 23-28, 2004.

がん研究所

遺伝子発現

- (1) Shimakami T, Hijikata M, Luo H, Ma YY, Kaneko S, Shimotohno K, Murakami S. Effect of interaction between hepatitis C virus NS5A and NS5B on hepatitis C virus RNA replication with the hepatitis C virus replicon. *J Virol.* 2004 Mar; 78(6): 2738-48.
- (2) Ma Y, Shimakami T, Luo H, Hayashi N, Murakami S. Mutational Analysis of Hepatitis C Virus NS5B in the Subgenomic Replicon Cell Culture. *J Biol Chem.* 2004 Jun 11; 279(24): 25474-82.
- (3) Delgermaa L, Hayashi N, Dorjsuren D, Nomura T, Thuy le TT, Murakami S. Subcellular localization of RPB5-mediating protein and its putative functional partner. *Mol Cell Biol.* 2004 Oct; 24(19): 8556-66.
- (4) Khruts S, Masutomi K, Delgermaa L, Arai K, Oishi N, Mizuno H, Hayashi N, Hahn WC, Murakami S. Nucleorin interacts with telomerase. *J Biol Chem.* 2004 Dec 3; 279(49): 51508-15.

組織分子構築

- (5) Nakamura M, Kyo S, Kanaya T, Yatabe N, Maida Y, Tanaka M, Ishida Y, Fujii C, Kondo T, Inoue M, Mukaida N. hTERT-promoter-based tumor-specific expression of MCP-1 effectively sensitizes cervical cancer cells to a low dose of cisplatin. *Cancer Gene Ther.* 2004; 11(1): 1-7.
- (6) Ishida Y, Kondo T, Tsuneyama K, Lu P, Takayasu T, Mukaida N. The pathogenic roles of tumor necrosis factor receptor p55 in acetaminophen-induced liver injury in mice. *J. Leukocyte Biol.* 2004; 75(1): 59-67.
- (7) Amano H, Morimoto K, Senba M, Wang H, Ishida Y, Kumatori A, Yoshimine H, Oishi K, Mukaida N, Nagatake T. Essential contribution of monocyte chemoattractant protein (MCP)-1/C-C chemokine ligand-2 to resolution and repair process in acute bacterial pneumonia. *J. Immunol.* 2004; 172(1): 398-409.
- (8) Ishida Y, Kondo T, Takayasu T, Iwakura Y, Mukaida N. The essential involvement of cross-talk between IFN-[©] and TGF-[®] in the skin wound-healing process. *J. Immunol.* 2004; 172(3): 1848-55.
- (9) Ishida Y, Maegawa T, Kondo T, Kimura A, Iwakura Y, Nakamura S, Mukaida N. Essential involvement of IFN-[©] in *Clostridium difficile* toxin A-induced enteritis. *J. Immunol.* 2004; 172(5): 3018-25.

- (10) Wada T, Furuichi K, Sakai N, Iwata Y, Kitagawa K, Ishida Y, Kondo T, Hashimoto H, Ishikawa Y, Mukaida N, Tomosugi N, Matsushima K, Egashira K, Yokoyama H. Gene therapy via blockade of monocyte chemoattractant protein-1 for renal fibrosis. *J. Am. Soc. Nephrol.* 2004; 15(4): 940-8.
- (11) Kitagawa K, Wada T, Iwata Y, Kitagawa K, Kobayashi K, Tomosugi N, Matsushima K, Mukaida N, Yokoyama H. Blockade of CCR2 ameliorates progressive fibrosis. *Am. J. Pathol.* 2004; 165: 237-46.
- (12) Qiu Z, Fujimura M, Kurashima K, Nakao S, Mukaida N. Enhanced airway inflammation and decreased subepithelial fibrosis in interleukin 6-deficient mice following chronic exposure to aerosolized antigen. *Clin. Exp. Allergy* 2004; 34: 1321-8.
- (13) Tomita Y, Yang X, Ishida Y, Nemoto-Sasaki Y, Kondo T, Oda M, Watanabe G, Chladakov GN, Fujii C, Mukaida N. Spontaneous regression of lung metastasis in the absence of tumor necrosis factor receptor p55. *Intl. J. Cancer* 2004; 112(6): 927-33.
- (14) Kitamura K, Nakamoto Y, Kaneko S, Mukaida, N. Pivotal roles of interleukin-6 in transmural inflammation in murine T cell transfer colitis. *J. Leukocyte Biol.* 2004; 76(6): 1111-7.
- (15) Yanaba K, Mukaida, N, Matsushima K, Murphy PM, Takehara K, Sato S. A role of C-C chemokine receptors 1 and 5 and macrophage inflammatory protein-1 α on the cutaneous Arthus reaction: Possible attenuation of their inhibitory effects by compensatory production. *Eur. J. Immunol.* 2004; 34(12): 3553-61.
- (16) Mukaida N. Chemokines. In: *The Encyclopedia of Endocrine Diseases, Four-Volume Set* (Martini L Editor-in-Chief), Elsevier Science Ltd, London, UK, vol. 1, pp.490-494, (2004)

細胞分子病態

- (17) Kobayashi M, Hirano A, Kumano T, Xiang S, Mihara K, Haseda Y, Matsui O, Shimizu H, Yamamoto K. Critical role for chicken Rad17 and Rad9 in the cellular response to DNA damage and stalled DNA replication. *Genes Cells* 2004; 9(4): 291-303.

細胞情報調節

- (18) Kawakami, T., Tateishi, K., Yamano, Y., Ishikawa, T., Kuroki, K., Nishimura, T. Protein identification from product ion spectra of peptides validated by correlation between measured and predicted elution times in liquid chromatography/mass spectrometry. *PROTEOMICS*, in press.

分子標的薬剤開発センター

- (19) Imamura R, Konaka K, Matsumoto N, Hasegawa M, Fukui M, Mukaida N, Kinoshita T, Suda T. Fas ligand induces cell-autonomous NF-kappaB activation and interleukin-8

production by a mechanism distinct from that of tumor necrosis factor- α . J Biol Chem. 2004 Nov 5; 279(45): 46415-23.

- (20) Umemura M, Kawabe T, Shudo K, Kidoya H, Fukui M, Asano M, Iwakura Y, Matsuzaki G, Imamura R, Suda T. Involvement of IL-17 in Fas ligand-induced inflammation. Int Immunol. 2004 Aug; 16(8): 1099-108.
- (21) Wang Y, Hasegawa M, Imamura R, Kinoshita T, Kondo C, Konaka K, Suda T. PYNOD, a novel Apaf-1/CED4-like protein is an inhibitor of ASC and caspase-1. Int Immunol. 2004 Jun; 16(6): 777-86.

自然計測応用研究センター

- (1) Fukushi, K., Sato, T., Yanase, N., Minato, J. and Yamada, H. Arsenate sorption on schwertmannite. *American Mineralogist* 2004; 89 1728-34.
- (2) 佐藤努, 秋田奈生子, 大世古光弘, 荒井章司, 福士圭介, 横山信吾 (2004) 高アルカリ環境の地球化学—いつ・どこで・どのように高アルカリ環境は生成し, そこで何が起きるのか?—, 極限環境微生物学会誌, 3, 60-67.
- (3) 横山信吾・黒田真人・筒井政則・佐藤努・鈴木啓三・榎戸洋之 (2004) 月布ベントナイト鉱床における川向坑産ベントナイトと梅ノ木田坑産ベントナイトの鉱物学的比較, 粘土科学, 44, 45-52.

学際科学実験センター

遺伝子改変動物分野

- (1) Mori R, Kondo T, Nishie T, Oshima T, and Asano M. Impairment of skin wound healing in β -1,4-galactosyltransferase-deficient mice with reduced leukocyte recruitment. Am. J. Pathol. 2004; 164: 1303-14.
- (2) Kotani N, Asano M, Inoue M, Iwakura Y, and Takasaki S. Polylactosamine synthesis and branch formation of N-glycans in β -1,4-galactosyltransferase-1 deficient mice. Arch. Biochem. Biophys. 2004; 426: 258-65.
- (3) Umemura M, Kawabe T, Shudo K, Kidoya H, Fukui M, Asano M, Iwakura Y, Matsuzaki G, Imamura R, and Suda T. Involvement of IL-17 in Fas ligand-induced inflammation. Int. Immunol. 2004; 16: 1099-108.
- (4) Kitagawa K, Wada T, Furuichi K, Hashimoto H, Ishiwata Y, Asano M, Takeya M, Kuziel WA, Matsushima K, Mukaida N, and Yokoyama H. Blockade of CCR2 Ameliorates Progressive Fibrosis in Kidney. Am. J. Pathol. 2004; 165: 237-46.

ゲノム機能解析分野

- (5) Nishiuchi T., Shinshi H. and Suzuki K. Rapid and transient expression of the ERF3 gene

by wounding in tobacco leaves: Possible involvement of NtWRKYs and autorepression. J. Biol. Chem. 2004; 279: 55355-61.

- (6) Nishiyama T., Wolf P.G., Kugita M., Sinclair R.B., Sugita M., Sugiura C., Wakasugi T., Yamada K., Yoshinaga K., Yamaguchi K., Ueda K. and Hasebe M. Chloroplast phylogeny indicates that Bryophytes are monophyletic, Mol. Biol. Evol. 2004; 21: 1813-9.

トレーサー情報解析分野

- (7) Kinuya S, Li XF, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Hypoxia as a factor for ^{67}Ga accumulation in tumour cells. Nucl Med Commun. 2004 Jan; 25(1): 49-53.
- (8) Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Limitations of $^{99\text{m}}\text{Tc}$ tetrofosmin in assessing reversal effects of verapamil on the function of multi-drug resistance associated protein 1. Nuclear Medicine Communications. 2004; 25(6): 585-9.
- (9) Kinuya S, Yokoyama K, Koshida K, Mori M, Shiba K, Watanabe N, Shuke N, Bai J, Michigishi T, Tonami N. Improved survival of mice bearing liver metastases of colon cancer cells treated with a combination of radioimmunotherapy and antiangiogenic therapy. Eur J Nucl Med Mol Imagin; 2004 July; 31(7): 981-5.
- (10) Bai J, Yokoyama K, Kinuya S, Shiba K, Matsushita R, Nomura M, Michigishi T, Tonami N. In vitro detection of mdrl mRNA in murine leukemia cells with ^{111}In -labeled oligonucleotide. Eur J Nucl Med Mol Imaging. 2004 Nov; 31(11): 1523-9.
- (11) Ogawa K, Mukai T, Arano Y, Hanaoka H, Hashimoto K, Nishimura H, Saji H. Design of radiopharmaceutical for the palliation of painful bone metastases: rhenium-186-labeled bisphosphonate derivative, J Labelled Cmp Radiopharm, 2004; 47(11): 753-61.

機器分析分野

- (12) Tsukamoto S, Tomise K, Aburatani M, Onuki H, Hirota H, Ishiharajima E, Ohta T. Isolation of Cytochrome P450 Inhibitors from Strawberry Fruit, *Fragaria ananassa* Duch. cv. Tochiotome. J. Nat. Prod. 2004; 67: 1839-41.
- (13) Tsukamoto S, Yamashita Y, Yoshida T, Ohta T. Isolation of Parguerol and Isoparguerol as Neurotrophic Agents from the Sea Hare, *Aplysia kurodai*. Mar. Drugs. 2004; 2: 170-5.
- (14) Hosoi S, Serata J, Kiuchi F, Sakushima A, Ohta T. Advanced Method for Assignment of Absolute Configuration Utilizing an Induced CD and Computational Technique: Its Application to Natural Products Possessing a Secondary Alcohol. J. Nat. Prod. 2004; 67: 1568-70.
- (15) Tsukamoto S, Yamashita K, Tane K, Kizu R, Ohta T, Matsunaga S, Fusetani N, Kawahara H, Yokosawa H. Girolline, an Antitumor Compound Isolated from a Sponge, Induces G2/M Cell Cycle Arrest and Accumulation of Polyubiquitinated p53. Biol. Pharm. Bull. 2004; 27:

699-701.

- (16) Tsukamoto S, Miura S, Yamashita Y, Ohta T. Aspermytin A: a New Neurotrophic Polyketide Isolated from a Marine-derived Fungus of the Genus *Aspergillus*. *Bioorg. Med. Chem. Lett.* 2004; 14: 417-20.
- (17) 矢萩信夫, 矢萩禮美子, 高野文英, 伏谷眞二, 田中知明, 村上光太郎, 太田富久. サナギタケ (*Cordyceps militaris* (L.: Fr.) Fr.) とマルミノアリタケ (*Cordyceps formicarum* Kobayasi) の寒天培養における子嚢性子座形成について. *日本菌学会報.* 2004 ; 45 : 15-19.
- (18) Ohba M, Natsutani I. Synthesis of Na-Demethyl-20-deethylsuaveoline, the Structure Proposed for Sellowiine. *Heterocycles.* 2004; 63: 2845-50.
- (19) Ohba M, Natsutani I, Sakuma T. Total Synthesis of Suaveoline and Norsuaveoline via Intramolecular Oxazole-Olefin Diels-Alder Reaction. *Tetrahedron Lett.* 2004; 45: 6471-4.